# HP LaserJet Managed MFP E82540du-E82560du series



# Premium quality, maximum uptime, and the strongest security<sup>,</sup> from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



## HP LaserJet Managed MFP E82540du -Bundle Product 40 ppm



HP LaserJet Managed MFP E82550du -Bundle Product 50 ppm



<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersCharler and integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersCharler and integrity in a reboot. For a list of printers integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersCharler and integrity in a reboot. For a list of printer integrity integrity integrity in a reboot. For a list of printers integrity integrity integrity integrity integrity integrity integrity integrity integrity integrity. For more information: http://www.hp.com/go/printersCharler and integrity integrity. For more information, see http://www.hp.com/go/printersCharler and box integrity integ

HP LaserJet Managed MFP E82560du -Bundle Product 60 ppm

## High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.

## Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® SharePoint, plus email, USB, and network folders.<sup>2</sup>
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 60 ppm.<sup>3</sup>

### The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

## Product walkaround

- 1. Hardware Integration Pocket (for connecting accessory and third-party devices)  $^{\scriptscriptstyle 1}$
- 2. Flatbed scanner handles sheets up to 11 x 17 inches (A3)
- 3. Easy-access USB port<sup>2</sup>
- 4. 500-sheet output bin
- 5. Front door access to toner cartridges
- 6. Automatic two-sided printing
- 7. HP High-Performance Secure Hard Disk<sup>3</sup>
- Slot for cable-type security lock, 2 Hi-Speed USB 2.0 Host ports, Gigabit Ethernet port, Hi-Speed USB 2.0 device port
- 9. 100-sheet ADF supports media sizes up to 11 x 17 inches (A3)
- 10. 8.0-inch (20.3 cm) color touchscreen control panel tilts up for easier viewing
- 11. Right door (access to the print path)
- 12. 100-sheet multipurpose tray 1 supports media sizes up to 11 x 17 inches (A3)
- 13. 520-sheet tray 2 supports media sizes up to letter (A4)
- 14. 520-sheet tray 3 supports media sizes up to 11 x 17 inches (A3)
- 15. Optional 2,000-sheet high-capacity input (HCI) tray supports media sizes up to letter (A4)



Front view

# Series at a glance



Model	HP LaserJet Managed MFP E82540du - Bundle Product 40 ppm	HP LaserJet Managed MFP E82550du - Bundle Product 50 ppm	HP LaserJet Managed MFP E82560du - Bundle Product 60 ppm	
Product number	5FM76A	SFM77A	5FM78A	
Functions	Print, copy, and scan (fax and wireless optional)(all models)	Print, copy, and scan (fax and wireless optional) (all models)		
Print speed (letter and A4, black)	Up to 40 pages per minute (ppm)	Up to 50 ppm	Up to 60 ppm	
Scan speeds (letter and A4, black)	80 ppm/160 images per minute (ipm), simplex/duplex 80 ppm/160 ipm, simplex/duplex		n, simplex/duplex	
100-sheet ADF with single-pass, two-sided scanning	√			
100-sheet multipurpose tray 1, 2x520-sheet trays 2, 3	$\checkmark$			
Optional input accessories: dual cassette (2x520-sheet), cabinet, 2,000-sheet HCI, 3,000-sheet HCI	$\checkmark$			
Input capacity	Standard: 1,140 sheets; Maximum : 6,140 sheets (all models)			
Optional finishing accessories: Inner finisher, Stapler/stacker finisher, Booklet finisher	√			
Recommended monthly print volume	Up to 100,000 pages			
Managed Cartridge yields	Black: ~69,000 pages			
Advanced workflow features	Send to Microsoft <sup>®</sup> SharePoint <sup>®</sup>			
Optional wireless networking <sup>9</sup> /NFC touch-to- print <sup>10</sup>		$\checkmark$		

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup> An administrator must enable the easy-access USB port before use. <sup>3</sup> Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk, totaling 640 GB. <sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>5</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>6</sup> Selection of optional paper-handling accessories required to reach maximum input capacity. <sup>7</sup> Recommended Monthly Page Volume (RMPV): HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>8</sup> Stated yield is based on 5% coverage and may vary based on coverage and media type used, media size, short edge feed on A3 devices, and job size. Toner not included in box. <sup>9</sup> All models can add wireless networking with selection of the optional HP Jetdirect 2900nw Print Server (J8031A). If selected, you cannot also select the HP Jetdirect 3000w NFC/Wireless States or (J8030A). Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. <sup>10</sup> Touch-to-print capability is optional for all models and can be added by selecting the optional HP Jetdirect Accessory (J8030A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A). Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

## Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

For carepack availability visit: hp.com/go/cpc









## Top features

Ouality printing for a great value is a smart choice for any business. Produce premium. professional-guality documents at a competitive low cost with an HP Laser Jet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

HP printers have the industry's strongest security<sup>1</sup> because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

## Accessories

Supplies	
Y1G22A	HP LaserJet Paper Tray Heaters Accessor (Optional)
CC487A	Analog Fax Accessory
X3D03A	HPAC Card Reader - HIP2
X3D03A	HPAC Card Reader - HIP1
CZ208A	HPAC Card Reader - HIP1
J8030A	HP JetDirect Wireless Print Server with NFC
J8031A	HP JetDirect USB Wireless Print Server
B5L29A	HDD HP Secure High Performance Hard Disk Drive
B5L28A	Two internal USB ports for solutions
B5L31A	FiH USB Foreign Interface Harness
Y1G10A Y1G01A	Job Separator Department
Y1G07A Y1G10A	Hole Punch 2/3
Y1G13A Y1G07A	Inner Finisher & Booklet Maker Staples Booklet Finisher
Y1G14A	Stapler/Stacker Finisher Staples
Y1G18A	Stapler/Stacker Finisher
Y1G02A	Inner Finisher Hole Punch 2/3
Y1G00A	Inner Finisher
Y1G2OA	3000 Sheet side HCI Department
Y1G21A	2000 Sheet HCI Department
Y1F98A	Dual Cassette Feeder (2x520) Department
Y1G16A	HP Cabinet Department

#### Supplies

W9014MC HP Black Managed LJ Toner Cartridge (ISO Yield 69,000)

### Services

U9LR0E	HP 1 year Next business day Service w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR0E	HP 3 year Next business day Service w/Defective Media Retention for LaserJet E825xx MFP Managed
U9LR0E	HP 4 year Next business day Service w/Defective Media Retention for LaserJet E825xx MFP Managed

HP 5 year Next business day Service w/Defective Media Retention for LaserJet E825xx MFP **U9LR0E** Managed

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims<sup>2</sup> Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/go/printersecurity.amine merumes and internet.com/go/printersecurity.amine merumes and internet.com/go/printersecurity.amine merumes and internet.com/go/printersecurity.amine merumes and areements. For details, see http://www.hp.com/go/printersecurity.amine and areements.amine and ar

# HP LaserJet Managed MFP E82540du-E82560du series

10.0	HP LaserJet Managed MFP E82540du - Bundle Product 40 ppm (SFM76A)	HP Laser Jet Managed MFP E82550du - Bundle Product 50 ppm (SFM77A)	HP LaserJet Managed MFP E82560du - Bundle Product 60 ppm (5FM78A)			
AIO functions	Print, Copy, Scan (fax and wireless optional)					
rint speed	Letter: Up to 40 ppm black; First Page Out Black: As fast as 8.1 sec; <sup>2</sup> Letter: Up to 50 ppm black; First Page Out Black: As fast as 7.2 sec; <sup>2</sup> Letter: Up to 60 ppm black; First Page Out Black: As fast as 6.9 sec;					
rint resolution	Black (best) Up to 1200 x 1200 dpi reduced speed; Black (normal) Up to 600 x 600 dpi					
rint Technology	Laser					
rint cartridges number tandard Print Languages	1 (1 black cartridge)					
rinter Smart Software Features	HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint <sup>™</sup> compatible, Pcl5, GCP compatible, MPT, IFF Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Laser/let MPS—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security.1 Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP Laser/let MFP built to make your work—and your business— look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP Laser/let MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 160 ipm10—and avoid extra steps with a MFP designed for maximum productivity.					
Printer Management	HP Printer Assistant, HP Utility (Mac), HP Device Toolbox, HP Web JetAdmin Sc Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Print		o Proxy Agent, Printer Administrator Resource Kit for HP Universal Print			
ican Type / Technology ican Resolution	Type: Flatbed, ADF; Technology: Platen Scanner CCD Digital-CIS Hardware: Up to 600 x 600 dpi: Optical: Up to 600 x 600 dpi					
can File Format						
can Input Modes	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (0XP) applications					
can Size	ADF: 11.7 x 17 in Maximum; 5 x 5.5 in Minimum; Flatbed: 11.7 x 17 in	sb, save to bevice memory, open extensionary reactorin (oxi ) applications				
can Speed	Simplex/Duplex: Up to 80 ipm/Up to 160 ipm <sup>7</sup>					
canner Advanced Features	SIMPLEX/DUPLEX: Up to 80 (pm/Up to 160 (pm') Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB; Scan-to-SharePoint; Windows HP Scan SW supports PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF, Mac HP Easy Scan SW supports PD					
	searchable PDF, JPG, RTF, TXT, JPG-2000, PNG, TIFF	), scan to use; scan-to-snareeoint; windows He scan sw supports PDF, sear	CHADLE PUF, JPG, KTF, TXT, BMP, PNG, TIFF, Mac HP Easy Scan SW supports			
it depth / Grayscale levels igital Sending Standard	24-bit / 256 Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepo	int: Send to FTD: Send to SETD: Send to LAN Exe Send to Internet Fault and A	ddress Rook: SMTD over SSL: Black Dage Personal: Edge Erase: Auto			
eatures	Color Sense; Compact PDF					
opy Speed	Black (letter): Up to 40 cpm	Black (letter): Up to 50 cpm	Black (letter): Up to 60 cpm			
aximum Number of Copies	Black/Color (text and Graphics): Up to 1200 x 1200 dpi reduced speed Up to 9999 copies					
opier Resize opier Settings	25 to 400% Two-sided copying; scalability; image adjustments (darkness, contrast, backg	round cleanup, sharpness); ontimized text/picture (text, mixed, printed pictu	re photograph): N-I In: N or 7-ordering: content orientation: collation: book			
opier setungs	ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase e		e, photography, N=0p, N of 2=0 dening, content offentation, collation, book			
ax Speed	Up to: 33.6 kbps; Letter: 3 sec per page <sup>1</sup>					
ax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black	k (standard): 203 x 98 doi				
ax Features	<ul> <li>Fax Network Uses (1) by to 500 a store private a lase store private takes unity, back store private a lase store private takes unity, back store private a lase store private takes unity and the store and takes a last store private takes unity and takes a last store private takes a last stor</li></ul>					
tandard Connectivity	3 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/1	00/1000T network; 1 Hardware Integration Pocket				
etwork Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)					
/ireless Capability	No wireless capabilities standard. There are optional accessories (common to	all current Jedi products) that support wireless. These are listed in the connec	tivity section, above.			
obile Printing Capability	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentic	ation (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre	Shared Key Authentication, and Kerberos Authentication; Support for			
	WJA-10 IPsec Configuration using IPsec Plug-in <sup>3</sup>					
femory Processor Speed	Standard: 7 GB; Maximum: 7 GB  1.2 GHz / Hard disk: Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk,Total 640 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Jo Data, Secure ATA Frase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.					
Outy Cycle	Monthly, letter: Up to 300,000 pages Recommended Monthly Page Volume: U	Jp to 100,000				
Paper Handling	Input Capacities: 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 100 sheet ADF; Up to 1,140 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard labels legal; Output Capacities: 500 sheet face-down output bin; Up to 500 sheets standard; Tap Sheets Sheets					
	HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter, Letter, Letter, Letter, Letter, Letter, Letter, Letter, Jack Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86	(166 lb Index); <b>Media Sizes Supported:</b> Tray 1: Letter, Letter R, Legal, Executive, , Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16k, envelope #9, En	r Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive,			
	HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 No 81 b bond ( envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86 W x D x H: 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in	(166 lb Index); <b>Media Sizes Supported:</b> Tray 1: Letter, Letter R, Legal, Executive, , Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16k, envelope #9, En	r Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive,			
roduct Weight	HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Prepunched, Colored, Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter, Letter, Letgal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86 W x D x H: 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in 185.85 lb	166 lb Index); <b>Media Sizes Supported</b> : Tray 1: Letter, Letter, Letter, R. Legal, Executive, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16k, envelope #9, En × 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.1	r Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficia, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8, 10 × 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 × 18 in			
Product Weight Vhat's in the box	HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( ervelope #9, Ervelope #10, Ervelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86 W x D x H: 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in 185.85 lb Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee	166 lb Index); <b>Media Sizes Supported:</b> Tray 1: Letter, Letter, R. Legal, Executive, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8, 10 × 15, 16k, envelope # 9, En x 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.1 mbly-CD WW; Hardware install and setup documentation; Support flyers. <b>DO</b>	r Transparenčy, Labels, Letterhead, Envelope, Heavy, Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, I to 12.59 x 18 in ES NOT INLCLUDE TONER <sup>10</sup>			
Product Weight Vhat's in the box Varranty Features	HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( erwelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86 W x D xH: 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in 185.85 lb Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Asse 90 day parts only. Extended Warranty and support options vary by product, co	166 lb Index); <b>Media Sizes Supported:</b> Tray 1: Letter, Letter, R. Legal, Executive, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8, 10 × 15, 16k, envelope # 9, En x 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.1 mbly-CD WW; Hardware install and setup documentation; Support flyers. <b>DO</b>	r Transparenčy, Labels, Letterhead, Envelope, Heavy, Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, I to 12.59 x 18 in ES NOT INLCLUDE TONER <sup>10</sup>			
Product Weight Vhat's in the box Varranty Features inergy Efficiency Compliance	HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( erwelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86 W x D x H: 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in 185.85 lb Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and support options vary by product, co ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel	166 lb Index); Media Sizes Supported: Tray 1: Letter,	r Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8,10 × 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 × 18 in <b>SS NOT INLCLUDE TONER</b> <sup>10</sup> n about HP award winning service and support options in your region.			
Product Weight Vhat's in the box Varranty Features inergy Efficiency Compliance iontrol Panel	HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 N3 Bb bond ( envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86 W x D x H: 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in 185.85 lb Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and support options vary by product, co ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adju	166 lb Index); Media Sizes Supported: Tray 1: Letter,	r Transparenčy, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 x 18 in <b>SS NOT INLCLUDE TONER</b> <sup>10</sup> n about HP award winning service and support options in your region.			
rroduct Weight Vhat's in the box Varranty Features inergy Efficiency Compliance iontrol Panel Visplay Description	<ul> <li>HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported; Tray 1, 2, 3: 16 to 78 lb bond ( erwelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizze Custom; Tray 1: 3.86</li> <li>W X D XH: 23 x 30.1 x 34.8 in; Maximum; 61.8 x 30.1 x 44.9 in</li> <li>185.85 lb</li> <li>Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and support options vary by product, co ENERGY STAR<sup>®</sup> qualified; EPEAT<sup>®</sup> Silver; CECP; Blue Angel</li> <li>8.0-in (20.3 cm) fouchscreen, SVGA Color Graphic Display (CGD)</li> </ul>	166 lb Index); Media Sizes Supported: Tray 1: Letter, Letter, Letter, R. Legal, Executive, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16 k, envelope #9, En × 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.1 mbly-CD WW; Hardware install and setup documentation; Support flyers. DO ountry and local legal requirements. Go to http://www.hp.com/support to lear stable angle) display; illuminated Home button (for quick return to the Home in	r Transparenčy, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 x 18 in <b>SS NOT INLCLUDE TONER</b> <sup>10</sup> n about HP award winning service and support options in your region.			
Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Sipplay Description Sioftware Included	<ul> <li>HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( erwelope #9, Envelope #10, Envelope Monarch, Tray 2, 2kter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizes Custom: Tray 1: 3.86</li> <li>W x D x H: 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in</li> <li>185.85 lb</li> <li>Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and support options vary by product, co ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel</li> <li>8.0-in (20.3 cm) Touchscreen, SVGA Color Graphic Display (CGD)</li> <li>No software solutions are included in the Box, only on http://hp.com, http://1</li> </ul>	166 lb Index); Media Sizes Supported: Tray 1: Letter, Letter, Letter, R. Legal, Executive, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16 k, envelope #9, En × 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.1 mbly-CD WW; Hardware install and setup documentation; Support flyers. DO ountry and local legal requirements. Go to http://www.hp.com/support to lear stable angle) display; illuminated Home button (for quick return to the Home in	r Transparenčy, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 x 18 in <b>SS NOT INLCLUDE TONER</b> <sup>10</sup> n about HP award winning service and support options in your region.			
Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Sisplay Description Software Included Fonts and Typefaces	<ul> <li>HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported; Tray 1, 2, 3: 16 to 78 lb bond ( erwelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizze Custom; Tray 1: 3.86</li> <li>W X D XH: 23 x 30.1 x 34.8 in; Maximum; 61.8 x 30.1 x 44.9 in</li> <li>185.85 lb</li> <li>Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and support options vary by product, co ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel</li> <li>8.0-in (20.3 cm) fouchscreen, SVGA Color Graphic Display (CGD)</li> </ul>	166 Ib Index); Media Sizes Supported: Tray 1: Letter, Lette	r Transparenčy, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 x 18 in <b>ES NOT INLCLUDE TONER</b> <sup>10</sup> In about HP award winning service and support options in your region. menu); USB High-speed 2.0 port; Hardware Integration Pocket Dille 05-, 105, Android, Mac-, Apple® mac0S Sierra v10.12, Apple® mac0S port.hp.com, Enter your product name and search, Click on User Guides			
Product Weight Vhat's in the box Warranty Features inergy Efficiency Compliance Control Panel Display Description Software Included Forts and Typefaces Compatible Operating Systems	<ul> <li>HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Hedd Weight Supported: Tray 1, 2, 31 6 to 78 lb bond ( envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 × 17, 12 × 18, 8k, 16k; Media Sizze Custom: Tray 1: 3.86</li> <li>W X D XH: 23 × 30.1 × 34.8 in; Maximum: 61.8 × 30.1 × 44.9 in</li> <li>185.85 lb</li> <li>Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and Support options vary by product, ct</li> <li>ENERGY STAR<sup>®</sup> qualified; EPEAT<sup>®</sup> Silver; CECP; Blue Angel</li> <li>8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adju 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)</li> <li>No software solutions are included in the Box, only on http://hp.com, http://1</li> <li>B4 scalable TrueType forts</li> <li>Windows Client 05 (32/64 bit)-, Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 E High Sierra v10.13, Apple<sup>®</sup> macOS Mojave v10.14, Discrete PCL6 Printer Drive and enter your product name and search for User Guide, Search for your (Poor</li> </ul>	166 Ib Index); Media Sizes Supported: Tray 1: Letter, Letter, Letter, R., Legal, Executive, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16 k, envelope #9, En × 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.11 mbly-CD WW; Hardware install and setup documentation; Support flyers. DO ountry and local legal requirements. Go to http://www.hp.com/support to lear stable angle) display; illuminated Home button (for quick return to the Home in 23.hp.com envelope: WRB Enterprise N, Win 7 Starter Edition SP1, UPD Win 7 Ultimate, Par-F, For more information on the supported operating systems go to http://suduct Name) - User Guide, Search for the Supported Operating Systems server 2012 64-bit, Windows Server 2012 R2 64-bit, Wind	Transparenčy, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8, 10 × 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 × 18 in           ESNOT INLCLUDE TONER <sup>10</sup> n about HP award winning service and support options in your region.           menu); USB High-speed 2.0 port; Hardware Integration Pocket           objet 0.5-, i05, Android, Mac-, Apple® macOS Sierra v10.12, Apple® macOS port.hp.com, Enter your product name and search, Click on User Guides n, UPD PCL6 / PS Printer Drivers-, Supported Operating systems, For more           view 7.18 for more information see http://citriwready.citrix.com, Linux-For			
Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems	<ul> <li>HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Hedd Weight Supported: Tray 1, 2, 31 6 to 78 lb bond ( envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Statement, Oficio, 11 × 17, 12 × 18, 8k, 16k; Media Sizze Custom: Tray 1: 3.86</li> <li>WX D XH: 23 × 30.1 × 34.8 in; Maximum: 61.8 × 30.1 × 44.9 in</li> <li>185.85 lb</li> <li>Engine; TCL; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assei 90 day parts only. Extended Warranty and Support options vary by product, ct</li> <li>ENERGY STAR® qualified; PEAT® Silve; CECP; Blue Angel</li> <li>8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adju 8.0-in (20.3 cm) Touchscreen, SVGA Color Graphic Display (CGD)</li> <li>No software solutions are included in the Box, only on http://hr.com, http://1</li> <li>B4 scalable TrueType fonts</li> <li>Windows Client OS (32/64 bit)-, Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 E High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Drive and enter your product name and search for User Guide, Search for your (Pro information on the supported operating systems see www.hp.com/gg/upd</li> <li>Windows Server 2008 R2 64-bit, Windows Server 6.5, Citrix XenApp 8 &gt; more information see http://developers.hp.com/hp-linux-imaging-and-printi systems please see http://developers.hp.com/hp-linux-imaging-and-printi systems please see http://developers.hp.com/hp-linux-imaging-and-printi systems please see http://developers.hp.com/hp-linux-imaging-and-printi</li> </ul>	16 G b Index); Media Sizes Supported: Tray 1: Letter, Lette	Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8, 10 × 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, / to 12.59 × 18 in           Statement, Oficio, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8, 10 × 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, / to 12.59 × 18 in           Statement, Oficio, 11 × 17, 12 × 18, 4 × 6, 5 × 7, 5 × 8, 10 × 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, / to 12.59 × 18 in           Statement, Oficio, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, / to 12.59 × 18 in           Statement, Parameter, P			
Product Dimensions Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements Power	<ul> <li>HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond (arwelope #9, Envelope #10, Envelope Monarch, Tray 2, 24: 16 to 78 lb bond (arwelope #9, Envelope #10, Envelope Monarch, Tray 2, 24: 16 to 78 lb bond (brown) and the start of the start o</li></ul>	166 Ib Index); Media Sizes Supported: Tray 1: Letter, Letter, Letter, R., Legal, Executive, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8,10 × 15, 16 k, envelope #9, En × 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 to 12.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 to 12.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 to 12.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 to 12.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 to 12.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 to 12.69 × 15.35 in; Tray 3: 5.5 × 7.1 × 5.5 ×	Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, 7 to 12.59 x 18 in <b>ES NOT INLCLUDE TONER</b> <sup>10</sup> In about HP award winning service and support options in your region. menu); USB High-speed 2.0 port; Hardware Integration Pocket oblie 05-, 105, Android, Mac-, Apple <sup>®</sup> mac05 Sierra v10.12, Apple <sup>®</sup> mac05 port.hp.com, Enter your product name and search, Click on User Guides n, UPD PCL6 / PS Printer Drivers-, Supported Operating systems, For more P16 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal service ver 7.18 for more information see http://citrixready.cltrix.com, Linux-For PCL6 / PS Printer Drivers-, Supported for Compatible Network Operating <b>3</b> available hard drive space, Internet connection or USB port, 05 hardware <b>Power Supply Type</b> : Internal (Built-in) power supply; <b>Power Requirement</b> Input voltage: 110 to 127Vac (+-10%), 220 to 240Vac (+-10%), 50/60 (+/-3%); <b>Power Consumption</b> : 854 watts (printing), 65 watts (stato-off), 0.1 watts (ster))			
Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Display Description Grotware Included Compatible Operating Systems Compatible Operating Systems Compatible Network Operating Systems	<ul> <li>HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( erwelope #9, Envelope #10, Envelope Monarch, Tray 2, 2kter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizze Custom: Tray 1: 3:86</li> <li>W x D xH 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in</li> <li>185.85 lb</li> <li>Engine, TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and Support options vary by product, cd</li> <li>ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel</li> <li>8.0-in (20.3 cm) Touchscreen, SVGA Color Graphic Display (CGD)</li> <li>No software solutions are included in the Box, only on http://hp.com, http:// 184 scalable TrueType fonts</li> <li>Windows Cleruet OS (32/E4 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 E High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Drive and enter your product ame and search for User Guide, Searth Fory your (Pro information on the supported operating systems see www.hp.com/go/Jug/J</li> <li>Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Wind 2008 R2, Remote Desktop server 2012 R2, Clitrix Server 6.5, Citrix XenApp 8, 3 more information see http://ple.com</li> <li>Proze GB available hard disk space, Internet connection, USB port, Internet bro requirements see apple.com</li> <li>Power Susply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 110 to 127Vac (+7 - 10%), 220 to 240Vac (+7 - 10%), S0/60 Hz (+7 - 3%); Power Consumpton: 867 watts (reado), 11</li> </ul>	166 Ib Index); Media Sizes Supported: Tray 1: Letter, Letter, Letter, R. Legal, Executive, Executive, Executive, Standard Mark, S. X. 7, S. 48, I. X. 51, 516, S. Revelope #19, Enc. X. 5. 50 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 11.69 x 15.35 in; Tray 3: 5.5 x 7.1 mbly-CD WW; Hardware install and setup documentation; Support flyers. DOI ountry and local legal requirements. Go to http://www.hp.com/support to lear stable angle) display; illuminated Home button (for quick return to the Home result and local legal requirements. Go to http://www.hp.com/support to lear stable angle) display; illuminated Home button (for quick return to the Home result) and local legal requirements. Go to http://www.hp.com/support to lear stable angle) display; illuminated Home button (for quick return to the Home result) and setup operating systems go to http://s. Jupport. For more information on the supported operating systems go to http://s. duct Name) - User Guide, Search for the Supported Operating Systems sectio lows Server 2012 64-bit, Windows Server 2012 R2 82 64-bit, Windows Server 2012 R2 82 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 82 64-bit, Windows Server 2012 R2 82 64-bit, Windows Server 2012 R2 82 64-bit, Windows Server 2012 R2 64-bit, Windows R2 82 60 Parating 10 to 127Vac (+- 100%), 220 to 2400vac	<ul> <li>Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oricia, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, to 12.59 x 18 in</li> <li><b>SNOT INLCLUDE TONER</b><sup>10</sup> <ul> <li>n about HP award winning service and support options in your region.</li> <li>nenu); USB High-speed 2.0 port; Hardware Integration Pocket</li> <li>Difference of the provided and support options in your region.</li> <li>nenu); USB High-speed 2.0 port; Hardware Integration Pocket</li> </ul> </li> <li>Difference of the provided and support options in your region.</li> <li>nenu); USB High-speed 2.0 port; Hardware Integration Pocket</li> <li>Difference of the printer Drivers -, Supported Operating systems, For more information see http://citrixready.citrix.com, Linux - For 2016 FQ. Printer Drivers -, Supported Operating systems, For more 216 f9 Printer Drivers -, Supported for Compatible Network Operating B available hard drive space, Internet connection or USB port, OS hardware</li> <li><b>Power Suppig: Type:</b> Internal (Built-In) power supply; <b>Power Requirement</b> (Input volage; 110 to 127/108 (1-10); 50, 220 to 240Vac (+/- 10%), 50(16) (+/- 3%); <b>Power Consumption:</b> 854 watts (printing), 65 watts (ready), 1 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off)</li> <li><b>Acoustic Power Embsions:</b> 66 (64) printing mono simplex using A4 pape</li> </ul>			
Product Weight Vhat's in the box Warranty Features inergy Efficiency Compliance Control Panel Isplay Description Control Panel Compatible Operating Systems Compatible Operating Systems Compatible Network Operating Systems Valinimum System Requirements Power	<ul> <li>HP Matte 2009, HP Glossy 2009, Carstock 176-2209, Card Glossy 176-2209, Prepunched, Colored; Media Weight Supported: Tray 1, 2, 3: 16 to 78 lb bond ( erwelope #9, Envelope #10, Envelope Monarch, Tray 2, 21 Etter, Letter R, Legal, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k; Media Sizze Custom: Tray 1: 3:86</li> <li>W x D xH 23 x 30.1 x 34.8 in; Maximum: 61.8 x 30.1 x 44.9 in</li> <li>185.85 lb</li> <li>Engine, TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assee 90 day parts only. Extended Warranty and support options vary by product, cd</li> <li>ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel</li> <li>8.0-in (20.3 cm) Touchscreen, SVGA Color Graphic Display (CGD)</li> <li>No software solutions are included in the Box, only on http://hp.com, http:// 184 calable TrueType fonts</li> <li>Windows Clerue OS (32/64 bit), Win10, Win8.1, Win 8 Basic; Win8 Pro, Win8 E High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Drive and enter your product ame and search for User Guide, Search for your (Pro information on the supported operating systems see www.hp.com/go/Lgd/</li> <li>Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Wind 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp 8 à more information sen thtp://hp.com/go/Lgd</li> <li>Póc2: GB available hard disk space, Internet connection, USB port, Internet bro requirements see apple.com</li> <li>Power Susply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 110 to 127Vac (+7 - 10%), 220 to 240Vac (+7 - 10%), 50/60 H1 (+7 - 3%); Solex Des Temesions: 50 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic Pressure Emissions: 50 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic Pressure Emissions: 50 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic Pressure Emissions: 50 dB(A) printing mono simplex using A4 paper at</li> </ul>	<ul> <li>166 Ib Index); Media Sizes Supported: Tray 1: Letter, Letter, Letter, R. Legal, Executive, Executive, Statement, Oficio. 4 × 6, 5 × 7, 5 × 8,10 × 15, 16 k, envelope #9, En × 5.5 to 12.59 × 18 in; Tray 2: 3.86 × 5.5 to 11.69 × 15.35 in; Tray 3: 5.5 × 7.11</li> <li>mbly-CD WW; Hardware install and setup documentation; Support flyers. DOI ountry and local legal requirements. Go to http://www.hp.com/support to lear</li> <li>stable angle) display; illuminated Home button (for quick return to the Home return, For more information on the supported operating systems go to http:// Letter.</li> <li>case, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mer-, For more information on the supported operating systems go to http://s. duct Name) - User Guide, Search for the Supported Operating Systems sectio</li> <li>tows Server 2012 Ed-bit, Windows Server 2012 R2 Ed-bit, Windows Server 2012 R2 Ed-bit, Windows Server 2012 R2 Ed-bit, UPD wins UPD wins 1, which are the supported operating systems section</li> <li>tows Server 2012 Ed-bit, Windows Server 2012 R2 Ed-bit, Windows Server 2012 R2 Ed-bit, Windows Server 2012 R2 Ed-bit, UPD wins 1, which is the supported operating systems section of the support operating systems section and the support of the sup</li></ul>	<ul> <li>Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Statement, Oricia, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, velope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Ico 12.59 x 18 in</li> <li>SNOT INLCLUDE TONER<sup>10</sup></li> <li>a about HP award winning service and support options in your region.</li> <li>menu); USB High-speed 2.0 port; Hardware Integration Pocket</li> <li>obile OS-, 105, Android, Mac-, Apple® macOS Sierra v 10.12, Apple® macOS pport.hp.com, Enter your product name and search, Click on User Guides n, UPD PCL6 / PS Printer Drivers-, Supported Operating systems, For more P16 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal serverver 7.18 for more information see http://clirivready.clirk.cm, Linux-For PCL6 / PS Printer Drivers-, Supported for Compatible Network Operating</li> <li>available hard drive space, Internet connection or USB port, OS hardware Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 (+/- 3%); Power Consumption. 56 BiA) printing mono simplex using A4 paper at 60 ppm: Acoustic Pressure Ensions: 50 d BiA) printing mono simplex using A4 paper at 60 ppm:</li> </ul>			

<sup>1</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17<sup>2</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>3</sup> Optional Wireless Direct and Wireless <sup>d</sup> Declared yield value in accordance with ISO/IEC 17972. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>4</sup> Optional Wireless Direct and Wireless <sup>d</sup> Declared yield value in accordance with ISO/IEC 17972. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>6</sup> Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies<sup>7</sup> Scan speeds measured from ADF. Actual processing speeds may updepending on scan resolution, network conditions, computer performance, and application software.<sup>9</sup> Power requirements are based on the contry/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on the Sate fresh delay. <sup>10</sup> No, please purchase USB cable separately. Service Technician must Install units

## Learn more at hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

